
































-
- A simulation model of 3D crosstalk phenomenon on 3D plasma display with active shutter glasses** 
- Joong Min Ra ; Myung Jae Jeon ; Jun Hak Lee ; Seong Hak Moon ; Young Hwan Kim
Publication Year: 2011 , Page(s): 1451 - 1459
Cited by: [Papers \(1\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(1897 KB\)](#) | |  [HTML](#)
-
- Parallel pipelined array architectures for real-time histogram computation in consumer devices** 
- Cadenas, J.O. ; Sherratt, R.S. ; Huerta, P. ; Wen-Chung Kao
Publication Year: 2011 , Page(s): 1460 - 1464
Cited by: [Papers \(3\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(257 KB\)](#) | |  [HTML](#)
-
- Adaptive edge detection for robust model-based camera tracking** 
- Hanhoon Park ; Mitsumine, H. ; Fujii, M.
Publication Year: 2011 , Page(s): 1465 - 1470
Cited by: [Papers \(1\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(3358 KB\)](#) | |  [HTML](#)
-
- 3D crosstalk compensation to enhance 3D image quality of plasma display panel** 
- Taeho Kim ; Joong Min Ra ; Jun Hak Lee ; Seong Hak Moon ; Choi, Kwang-Yeol
Publication Year: 2011 , Page(s): 1471 - 1477
Cited by: [Papers \(4\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(1299 KB\)](#) | |  [HTML](#)
-
- Single image-based ghost-free high dynamic range imaging using local histogram stretching and spatially-adaptive denoising** 
- Jaehyun Im ; Jaehwan Jeon ; Hayes, M.H. ; Joonki Paik
Publication Year: 2011 , Page(s): 1478 - 1484
Cited by: [Papers \(3\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(1359 KB\)](#) | |  [HTML](#)
-
- Unlicensed transmissions in TV white spaces and its impacts** 

on the incumbent services

Foo, Y.-L.

Publication Year: 2011 , Page(s): 1485 - 1490

 |  |  [Quick Abstract](#) |  [PDF \(233 KB\)](#) | |  [HTML](#) **Adaptive phase rotation of OFDM signals for PAPR reduction** 

Eonpyo Hong ; Youngin Park ; Sangchae Lim ; Dongsoo Har

Publication Year: 2011 , Page(s): 1491 - 1495

Cited by: [Papers \(1\)](#) |  |  [Quick Abstract](#) |  [PDF \(943 KB\)](#) | |  [HTML](#) **Realistic modeling of IEEE 802.11 WLAN considering rate adaptation and multi-rate retry** 


Kim, I. ; Young-Tak Kim

Publication Year: 2011 , Page(s): 1496 - 1504

 |  |  [Quick Abstract](#) |  [PDF \(392 KB\)](#) | |  [HTML](#) **Flexible LDPC decoder using stream data processing for 802.11n and 802.16e** 


Tiwari, H.D. ; Huynh Ngoc Bao ; Yong Beom Cho

Publication Year: 2011 , Page(s): 1505 - 1512

Cited by: [Papers \(1\)](#) |  |  [Quick Abstract](#) |  [PDF \(295 KB\)](#) | |  [HTML](#) **A new selected mapping scheme without additional IFFT operations in OFDM systems** 

Soobum Cho ; Sang Kyu Park

Publication Year: 2011 , Page(s): 1513 - 1518

Cited by: [Papers \(2\)](#) |  |  [Quick Abstract](#) |  [PDF \(942 KB\)](#) | |  [HTML](#) **Implementation and evaluation of a high-performance MIMO detector for wireless LAN systems** 

Soler-Garrido, J. ; Milford, D. ; Sandell, M. ; Vetter, H.

Publication Year: 2011 , Page(s): 1519 - 1527

Cited by: [Papers \(1\)](#) |  |  [Quick Abstract](#) |  [PDF \(3373 KB\)](#) | |  [HTML](#)

TDS-OFDMA: a novel multiple access system based on TDS-OFDM



Linglong Dai ; Zhaocheng Wang ; Jian Song

Publication Year: 2011 , Page(s): 1528 - 1534

| | [Quick Abstract](#) | [PDF \(725 KB\)](#) | | [HTML](#)

Development of a GINGA-NCL receiver for Brazilian mobile broadcasting services



Changhyeon Lim ; Byoung-Dai Lee

Publication Year: 2011 , Page(s): 1535 - 1540

| | [Quick Abstract](#) | [PDF \(658 KB\)](#) | | [HTML](#)

Implementation of an OFDM baseband with adaptive modulations to grouped subcarriers for millimeter-wave wireless indoor networks



Chang-Soon Choi ; Shoji, Y. ; Ogawa, H.

Publication Year: 2011 , Page(s): 1541 - 1549

| | [Quick Abstract](#) | [PDF \(3350 KB\)](#) | | [HTML](#)

An efficient emergency broadcasting signal multiplexing method for supporting the legacy T-DMB receivers in break-in system



Yong-hoon Lee ; Geon Kim ; So-Ra Park ; Yong-Tae Lee ; Nam Kim

Publication Year: 2011 , Page(s): 1550 - 1555

| | [Quick Abstract](#) | [PDF \(3681 KB\)](#) | | [HTML](#)

An enhanced dual carrier modulation for performance improvement in WiMedia UWB systems



Jangyong Park ; Kilhwan Kim ; Jihun Koo ; Jaeseok Kim

Publication Year: 2011 , Page(s): 1556 - 1563

Cited by: [Papers \(1\)](#)

| | [Quick Abstract](#) | [PDF \(1661 KB\)](#) | | [HTML](#)
































Overlapped message passing technique with resource sharing for high speed CMMB LDPC decoder



Joo-Yul Park ; Ki-Seok Chung

Publication Year: 2011 , Page(s): 1564 - 1570


| | [Quick Abstract](#) | [PDF \(3544 KB\)](#) | | [HTML](#)

-
- TDOA-based optical wireless indoor localization using LED ceiling lamps** 
- Soo-Yong Jung ; Swook Hann ; Chang-Soo Park
Publication Year: 2011 , Page(s): 1592 - 1597
Cited by: [Papers \(7\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(319 KB\)](#) | |  [HTML](#)
-
- Performance evaluation of a narrowband power line communication for smart grid with noise reduction technique** 
- Korki, M. ; Hosseinzadeh, N. ; Moazzeni, T.
Publication Year: 2011 , Page(s): 1598 - 1606
Cited by: [Papers \(4\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(2477 KB\)](#) | |  [HTML](#)
-
- Interoperability framework for smart home systems** 
- Perumal, T. ; Ramli, A.R. ; Chui Yew Leong
Publication Year: 2011 , Page(s): 1607 - 1611
Cited by: [Papers \(5\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(520 KB\)](#) | |  [HTML](#)
-
- Smart indoor solid state lighting based on a novel illumination model and implementation** 
- Bhardwaj, S. ; Ozcelebi, T. ; Verhoeven, R. ; Lukkien, J.
Publication Year: 2011 , Page(s): 1612 - 1621
Cited by: [Papers \(4\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(803 KB\)](#) | |  [HTML](#)
-
- Zero standby power remote control system using light power transmission** 
- Sungmuk Kang ; Kyungjin Park ; Seunghwan Shin ; Keunsu Chang ; Hoseong Kim
Publication Year: 2011 , Page(s): 1622 - 1627
Cited by: [Papers \(3\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(1002 KB\)](#) | |  [HTML](#)
-
- Providing services using network-based humanoids in a home environment** 
- KangGeon Kim ; Young-Su Cha ; Jung-Min Park ; Ji-Yong Lee ; Bum-Jae You

Publication Year: 2011 , Page(s): 1628 - 1636

Cited by: [Papers \(1\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(882 KB\)](#) | |  [HTML](#)

Power-aware optimal checkpoint intervals for mobile consumer devices 

[Sung-Hwa Lim](#) ; [Se Won Lee](#) ; [Byoung-Hoon Lee](#) ; [Seongil Lee](#)

Publication Year: 2011 , Page(s): 1637 - 1645

Cited by: [Papers \(3\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(1938 KB\)](#) | |  [HTML](#)

New computer interface combining gaze tracking and brainwave measurements 

[Jae Won Bang](#) ; [Eui Chul Lee](#) ; [Kang Ryoung Park](#)

Publication Year: 2011 , Page(s): 1646 - 1651

 |  |  [Quick Abstract](#) |  [PDF \(961 KB\)](#) | |  [HTML](#)


Home gateway for three-screen TV using H.264 SVC and raptor FEC 

[Eun-Seok Ryu](#) ; [Jayant, N.](#)

Publication Year: 2011 , Page(s): 1652 - 1660

Cited by: [Papers \(3\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(3078 KB\)](#) | |  [HTML](#)

Design of multimedia stream channel arbiter in home network gateway 

[Myung-Jin Lee](#) ; [Joo-Yong Oh](#) ; [Soon-Ju Kang](#)

Publication Year: 2011 , Page(s): 1661 - 1669

Cited by: [Papers \(1\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(4706 KB\)](#) | |  [HTML](#)

Automatic provisioning of end-to-end QoS into the home 

[Brewka, L.](#) ; [Skoldström, P.](#) ; [Nelis, J.](#) ; [Wessing, H.](#) ; [Develder, C.](#)

Publication Year: 2011 , Page(s): 1670 - 1678

 |  |  [Quick Abstract](#) |  [PDF \(649 KB\)](#) | |  [HTML](#)

Efficient validation/verification of a robust DVB-H link layer 

[Eerenberg, O.](#) ; [Wendrich, P.](#) ; [van Orsouw, E.H.M.](#) ; [de With,](#)

P.H.N.

Publication Year: 2011 , Page(s): 1679 - 1687

 |  |  ▶ [Quick Abstract](#) |  [PDF \(357 KB\)](#) | |  [HTML](#)

GRPS-based distributed home-monitoring using internet-based geographical information system 

Al-Ali, A.R. ; Zualkernan, I.A. ; Lasfer, A. ; Chreide, A. ; Abu Ouda, H.

Publication Year: 2011 , Page(s): 1688 - 1694

 |  |  ▶ [Quick Abstract](#) |  [PDF \(914 KB\)](#) | |  [HTML](#)

Towards a convergent digital home network infrastructure 

Nowak, S. ; Schaefer, F.-M. ; Brzozowski, M. ; Kraemer, R. ; Kays, R.

Publication Year: 2011 , Page(s): 1695 - 1703

Cited by: [Papers \(1\)](#)

 |  |  ▶ [Quick Abstract](#) |  [PDF \(2058 KB\)](#) | |  [HTML](#)

Distributed coordination of multiple media flows in WiFi networks 

Jae-Yong Yoo ; Sanghoon Park ; JongWon Kim

Publication Year: 2011 , Page(s): 1704 - 1709

 |  |  ▶ [Quick Abstract](#) |  [PDF \(623 KB\)](#) | |  [HTML](#)

Complex window query support for monitoring streaming data in wireless body area networks 

Minsoo Lee ; Xiaoyue Han

Publication Year: 2011 , Page(s): 1710 - 1718

Cited by: [Papers \(1\)](#)

 |  |  ▶ [Quick Abstract](#) |  [PDF \(1860 KB\)](#) | |  [HTML](#)

FDTL: a unified flash memory and hard disk translation layer 

Shi Bai ; Jie Yin ; Gang Tan ; Yu-Ping Wang ; Shi-Min Hu

Publication Year: 2011 , Page(s): 1719 - 1727

 |  |  ▶ [Quick Abstract](#) |  [PDF \(4660 KB\)](#) | |  [HTML](#)

Hot/cold clustering for page mapping in NAND flash memory 

Ilhoon Shin

Publication Year: 2011 , Page(s): 1728 - 1731

Cited by: [Papers \(1\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(211 KB\)](#) | |  [HTML](#)

Improving performance and lifetime of solid-state drives using hardware-accelerated compression 

[Sungjin Lee](#) ; [Jihoon Park](#) ; [Fleming, K.](#) ; [Arvind](#) ; [Jihong Kim](#)

Publication Year: 2011 , Page(s): 1732 - 1739

Cited by: [Papers \(2\)](#) | [Patents \(1\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(920 KB\)](#) | |  [HTML](#)

Techniques for improving performance of the FAST (fully-associative sector translation) flash translation layer 

[Chien-Yu Liu](#) ; [Ying-Shiuan Pan](#) ; [Hsin-Hung Chen](#) ; [Ying-Chih Wu](#) ; [Da-Wei Chang](#)

Publication Year: 2011 , Page(s): 1740 - 1748

Cited by: [Papers \(1\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(978 KB\)](#) | |  [HTML](#)

Fast erase algorithm using flash translation layer in NAND-type flash memory 

[Dae Man Han](#)

Publication Year: 2011 , Page(s): 1749 - 1755

Cited by: [Papers \(1\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(1673 KB\)](#) | |  [HTML](#)

Architecture exploration of flash memory storage controller through a cycle accurate profiling 

[Hoeseung Jung](#) ; [Sanghyuk Jung](#) ; [Yong Ho Song](#)

Publication Year: 2011 , Page(s): 1756 - 1764

Cited by: [Papers \(2\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(2432 KB\)](#) | |  [HTML](#)

Bridging the information gap between buffer and flash translation layer for flash memory 

[Xue-Liang Liao](#) ; [Shi-Min Hu](#)

Publication Year: 2011 , Page(s): 1765 - 1773

 |  |  [Quick Abstract](#) |  [PDF \(3285 KB\)](#) | |  [HTML](#)

An indoor security system with a jumping robot as the 

surveillance terminal

Jun Zhang ; Guangming Song ; Guifang Qiao ; Tianhua Meng ; Hongtao Sun

Publication Year: 2011 , Page(s): 1774 - 1781

Cited by: [Papers \(3\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(1324 KB\)](#) | |  [HTML](#)





































Power efficient motion estimation algorithm and architecture based on pixel truncation
































Chatterjee, S.K. ; Chakrabarti, I.

Publication Year: 2011 , Page(s): 1782 - 1790


Cited by: [Papers \(1\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(309 KB\)](#) | |  [HTML](#)

-
- A pair of noisy/blurry patches-based PSF estimation and channel-dependent deblurring** 
- Chang-Hwan Son ; Hyung-Min Park
Publication Year: 2011 , Page(s): 1791 - 1799
-  |  |  Quick Abstract |  PDF (1344 KB) | |  HTML
-
- Adaptive two-direction pitch tracking algorithm for MBE vocoder** 
- Qunqun Zhou ; Yong Ma ; Shengqing Wang ; Ruijin Lu ; Hongyuan Wang
Publication Year: 2011 , Page(s): 1800 - 1806
-  |  |  Quick Abstract |  PDF (338 KB) | |  HTML
-
- Natural hdr image tone mapping based on retinex** 
- Kim, Kyungman ; Bae, Jonghyun ; Jaeseok Kim
Publication Year: 2011 , Page(s): 1807 - 1814
Cited by: [Papers \(1\)](#)
-  |  |  Quick Abstract |  PDF (1124 KB) | |  HTML
-
- Temporal pixel classification and smoothing for higher depth video compression performance** 
- Zongju Peng ; Gangyi Jiang ; Mei Yu ; Shihua Pi ; Fen Chen
Publication Year: 2011 , Page(s): 1815 - 1822
-  |  |  Quick Abstract |  PDF (2886 KB) | |  HTML
-
- A novel rate control technique for asymmetric-quality stereoscopic video** 
- Feng Shao ; Gangyi Jiang ; Mei Yu ; Qiaoyan Zheng ; Ken Chen
Publication Year: 2011 , Page(s): 1823 - 1829
-  |  |  Quick Abstract |  PDF (467 KB) | |  HTML
-
- Ontology-based automatic video annotation technique in smart TV environment** 
- Jin-Woo Jeong ; Hyun-Ki Hong ; Dong-Ho Lee
Publication Year: 2011 , Page(s): 1830 - 1836
Cited by: [Papers \(1\)](#)
-  |  |  Quick Abstract |  PDF (1178 KB) | |  HTML
-

- Low complexity weighted two-bit transforms based multiple candidate motion estimation** 
- Changryoul Choi ; Jechang Jeong
Publication Year: 2011 , Page(s): 1837 - 1842
Cited by: [Papers \(1\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(338 KB\)](#) | |  [HTML](#)
-
- Abnormal human activity recognition system based on R-transform and kernel discriminant technique for elderly home care** 
- Khan, Z.A. ; Won Sohn
Publication Year: 2011 , Page(s): 1843 - 1850
Cited by: [Papers \(5\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(912 KB\)](#) | |  [HTML](#)
-
- Adaptive wiener filter based chrominance up-sampling enhancement method for video coding** 
- Xu Yang ; Yilin Chang ; Bingbing Li ; Fuzheng Yang
Publication Year: 2011 , Page(s): 1851 - 1856
-  |  |  [Quick Abstract](#) |  [PDF \(1315 KB\)](#) | |  [HTML](#)
-
- Low complexity multiview video plus depth coding** 
- Qiuwen Zhang ; Ping An ; Yan Zhang ; Liquan Shen ; Zhaoyang Zhang
Publication Year: 2011 , Page(s): 1857 - 1865
Cited by: [Papers \(3\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(912 KB\)](#) | |  [HTML](#)
-
- Complexity control of high efficiency video encoders for power-constrained devices** 
- Correa, G. ; Assuncao, P. ; Agostini, L. ; da Silva Cruz, L.A.
Publication Year: 2011 , Page(s): 1866 - 1874
Cited by: [Papers \(15\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(586 KB\)](#) | |  [HTML](#)
-
- A content-aware image stitching algorithm for mobile multimedia devices** 
- Hyo-Kak Kim ; Kwang-Wook Lee ; June-Young Jung ; Seung-Won Jung ; Sung-Jea Ko
Publication Year: 2011 , Page(s): 1875 - 1882

 |  |  Quick Abstract |  PDF (1367 KB) | |  HTML


Census-based vision for auditory depth images and speech navigation of visually impaired users 

Soo-Chang Pei ; Yu-Ying Wang

Publication Year: 2011 , Page(s): 1883 - 1890

Cited by: Papers (2)

 |  |  Quick Abstract |  PDF (4843 KB) | |  HTML

Super-realistic environmental sound synthesizer for location-based sound search system 

Innami, S. ; Kasai, H.

Publication Year: 2011 , Page(s): 1891 - 1898

 |  |  Quick Abstract |  PDF (1768 KB) | |  HTML

Audio signal processing adapted to mobile reception of DVB-T 

Roll, T. ; Vepa, L. ; Wuenschmann, J. ; Rothermel, A.

Publication Year: 2011 , Page(s): 1899 - 1906

 |  |  Quick Abstract |  PDF (388 KB) | |  HTML

Error concealment for stereoscopic video using illumination compensation 

Shuai Yang ; Yan Zhao, ; Shigang Wang ; Hexin Chen

Publication Year: 2011 , Page(s): 1907 - 1914

 |  |  Quick Abstract |  PDF (2606 KB) | |  HTML

Sound source elevation using spectral notch filtering and directional band boosting in stereo loudspeaker reproduction 

Chan Jun Chun ; Hong Kook Kim ; Seung Ho Choi ; Sei-Jin Jang ; Seok-pil Lee

Publication Year: 2011 , Page(s): 1915 - 1920

 |  |  Quick Abstract |  PDF (401 KB) | |  HTML
































Memory and computation efficient hardware design for a 3 spatial and temporal layers SVC encoder 

Kyujoong Lee ; Chae Eun Rhee ; Hyuk-Jae Lee ; Jung Won Kang

Publication Year: 2011 , Page(s): 1921 - 1928

Cited by: Papers (1)

 |  |  Quick Abstract |  PDF (334 KB) | |  HTML

-
- Interactive emotional content communications system using portable wireless biofeedback device** 
- Dong Keun Kim ; Jonghwa Kim ; Eui Chul Lee ; Mincheol Whang ;Yongjoo Cho
Publication Year: 2011 , Page(s): 1929 - 1936
Cited by: [Papers \(1\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(1959 KB\)](#) | |  [HTML](#)
-
- Efficient disparity map estimation using occlusion handling for various 3D multimedia applications** 
- Woo-Seok Jang ; Yo-Sung Ho
Publication Year: 2011 , Page(s): 1937 - 1943
Cited by: [Papers \(3\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(1536 KB\)](#) | |  [HTML](#)
-
- Compression artifacts removal by signal adaptive weighted sum technique** 
- Jongho Kim ; Chun-Bo Sim
Publication Year: 2011 , Page(s): 1944 - 1952
Cited by: [Papers \(3\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(1505 KB\)](#) | |  [HTML](#)
-
- An efficient re-coloring method with information preserving for the color-blind** 
- Jae-Yun Jeong ; Hyun-Ji Kim ; Tae-Shick Wang ; Yeo-Jin Yoon ;Sung-Jea Ko
Publication Year: 2011 , Page(s): 1953 - 1960
Cited by: [Papers \(1\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(1168 KB\)](#) | |  [HTML](#)
-
- Real-time panorama canvas of natural images** 
- Beom Su Kim ; Sang Hwa Lee ; Nam Ik Cho
Publication Year: 2011 , Page(s): 1961 - 1968
Cited by: [Papers \(3\)](#)
-  |  |  [Quick Abstract](#) |  [PDF \(3853 KB\)](#) | |  [HTML](#)
-
- Real-time priority processing on an embedded CE device** 
- van den Heuvel, M.M.H.P. ; Bril, R.J. ; Schiemenz, S. ; Hentschel,

C.; Tempelaars, C.

Publication Year: 2011 , Page(s): 1969 - 1977

 |  |  [Quick Abstract](#) |  [PDF \(406 KB\)](#) | |  [HTML](#)


Data access aggregation for context-aware services on CE portable devices

Narimatsu, H. ; Kasai, H.

Publication Year: 2011 , Page(s): 1978 - 1985

Cited by: [Papers \(1\)](#)

 |  |  [Quick Abstract](#) |  [PDF \(1636 KB\)](#) | |  [HTML](#)

- Erratum to 'low-power zero-IF full-segment ISDB-T CMOS tuner with tenth-order baseband filters' [May 11 403-410]** 
Publication Year: 2011 , Page(s): 1986
[!\[\]\(b556e0ef1e10ccfc32976edb6416074f_img.jpg\)](#) | [!\[\]\(cf1529ba638f0498d7e334e7a79dd058_img.jpg\)](#) | [!\[\]\(2c071b2b285393c82ac6838d54fa5656_img.jpg\)](#) **Quick Abstract** | [!\[\]\(bda2070c29c668b13a0cf5b37bc9c21e_img.jpg\)](#) **PDF (133 KB)** | | [!\[\]\(4dc7f5c797d7cb1aa70e6a60bb01318c_img.jpg\)](#) **HTML**
- 2011 Index IEEE Transactions on Consumer Electronics Volume 57** 
Publication Year: 2011 , Page(s): 1987
[!\[\]\(aa22af288cc0ca0644b1717d2002bd9a_img.jpg\)](#) | [!\[\]\(3b5c45bb1eac680bb1a411f41e6867a8_img.jpg\)](#) | [!\[\]\(f9cf6b32694e80d3e0d454d9f6a25272_img.jpg\)](#) **PDF (336 KB)**
- Preparation of papers for publication in IEEE Transactions on Consumer Electronics** 
Publication Year: 2011
[!\[\]\(d486141adb7eaccee678e3458b4d7cfd_img.jpg\)](#) | [!\[\]\(5d98a48b93f9660d41ce021d1279fc95_img.jpg\)](#) | [!\[\]\(acde3eba7c23131a5ce5f1404cbba9ed_img.jpg\)](#) **PDF (47 KB)**
- Table of contents [continued]**
Publication Year: 2011 , Page(s): c4
[!\[\]\(67cb540a03abc77eeeb9f325a13be9a7_img.jpg\)](#) | [!\[\]\(5b9c04de722f3bbbe2d623f2c94ab3ed_img.jpg\)](#) | [!\[\]\(2334026fd001c0e0ad1f59065393d212_img.jpg\)](#) **PDF (32 KB)**