

OBITUARY

In Memoriam: Professor Tamotsu Tamura
(1917–2009) 817

REVIEW ARTICLE

In search of the Kumamoto oyster *Crassostrea sikamea*
(Amemiya, 1928) based on molecular markers: is the
natural resource at stake?
M. Sekino 819

ORIGINAL ARTICLES

Fisheries

The effect of Danish seine selectivity and retention on
growth estimates of tiger flathead *Platycephalus*
richardsoni
V.S. Troynikov · M.T. Koopman 833

Modelling of common European cockle *Cerastoderma*
edule fishing grounds aimed at sustainable
management of traditional harvesting
A. Ponsoero · L. Dabouineau · J. Allain 839

Reproductive potential and recruitment of sand lance
Ammodytes personatus in Ise Bay, central Japan
H. Yamada 851

Longline hook selectivity for red tilefish
Branchiostegus japonicus in the East China Sea
H. Yamashita · D. Shiode · T. Tokai 863

Biology

Interannual variation in quantitative relationships
among egg production and densities of larvae and
juveniles of the Japanese mantis shrimp *Oratosquilla*
oratoria in Tokyo Bay, Japan
K. Kodama · M. Oyama · J.-H. Lee · Y. Akaba ·
Y. Tajima · T. Shimizu · H. Shiraishi ·
T. Horiguchi 875

Tamura (1917–2009)

In vivo and in vitro effect of recombinant salmon
growth hormone treatment on IGF-I and IGF-BPs
in yellowtail *Seriola quinqueradiata*
E.L. Pedroso · H. Fukada · T. Masumoto 887

Age and growth of the lizardfish *Saurida elongata* from
the Tsushima/Korea Strait
T. Sakai · M. Yoneda · T. Shiraishi · M. Tokimura ·
H. Horikawa · M. Matsuyama 895

Phylogeography of the Japanese eight-barbel loach
Lefua echigonia from the Yamagata area of the
Tohoku district, Japan
H. Aiki · K. Takayama · T. Tamaru · N. Mano ·
M. Shimada · H. Komaki · H. Hirose 903

Wild stock structure of *Girella punctata* in Japan
revealed shallow genetic differentiation but subtle
substructure in subsidiary distributions
T. Umino · T. Kajihara · H. Shiozaki · T. Ohkawa ·
D.-S. Jeong · K. Ohara 909

Temperature characteristics in seed germination and
growth of *Zostera japonica* Ascherson & Graebner
from Ago Bay, Mie Prefecture, central Japan
M. Abe · K. Yokota · A. Kurashima · M. Maegawa 921

Changes in growth of marbled sole *Pseudopleuronectes*
yokohamae between high and low stock-size periods
in Tokyo Bay, Japan
J.-H. Lee · K. Kodama · M. Oyama · G. Kume · Y. Takao ·
H. Shiraishi · T. Horiguchi 929

Small-scale variation in feeding environments for the
Manila clam *Ruditapes philippinarum* in a tidal flat in
Tokyo Bay
S. Watanabe · S. Katayama · M. Kodama · N. Cho ·
K. Nakata · M. Fukuda 937

Swimming depths of the giant jellyfish *Nemopilema*
nomurai investigated using pop-up archival
transmitting tags and ultrasonic pingers
N. Honda · T. Watanabe · Y. Matsushita 947

Spatiotemporal change in growth of two populations of Asian chum salmon in relation to intraspecific interaction

H. Seo · H. Kudo · M. Kaeriyama 957

Aquaculture

Utilization of genetically modified soybean meal in Nile tilapia *Oreochromis niloticus* diets

I. Suharman · S. Satoh · Y. Haga · T. Takeuchi · M. Endo · I. Hirono · T. Aoki 967

Effect of cultivation methods on nutritional enrichment of euryhaline rotifer *Brachionus plicatilis*

T. Kotani · T. Genka · H. Fushimi · M. Hayashi · K. Dierckens · P. Sorgeloos 975

Estimation of the period sensitive for the development of abnormal morphology in brown sole

Pseudopleuronectes herzensteini fed live food enriched with docosahexaenoic acid

N. Satoh · T. Takeuchi 985

Artificially induced tetraploid masu salmon have the ability to form primordial germ cells

S. Sakao · T. Fujimoto · T. Kobayashi · G. Yoshizaki · E. Yamaha · K. Arai 993

The effect of docosahexaenoic and eicosapentaenoic acids in live food on the development of abnormal morphology in hatchery-reared brown sole

Pseudopleuronectes herzensteini

N. Satoh · Y. Takaya · T. Takeuchi 1001

Environment

Marine mucilage in Ariake Sound, Japan, is composed of transparent exopolymer particles produced by the diatom *Coscinodiscus granii*

T. Fukao · K. Kimoto · T. Yamatogi · K. Yamamoto · Y. Yoshida · Y. Kotani 1007

Chemistry and Biochemistry

Isolation and characterization of the *rbcS* genes from a sterile mutant of *Ulva pertusa* (Ulvales, Chlorophyta) and transient gene expression using the *rbcS* gene promoter

M. Kakinuma · M. Ikeda · D.A. Coury · H. Tominaga · I. Kobayashi · H. Amano 1015

Thermal stability of the synthetic peptides with the sequence of fish fast skeletal muscle tropomyosin

H. Ozawa · S. Watabe · Y. Ochiai 1029

Liquid-chromatographic hybrid triple–quadrupole linear-ion-trap MS/MS analysis of fatty-acid esters of dinophysistoxin-I in bivalves and toxic dinoflagellates in Japan

T. Suzuki · T. Kamiyama · Y. Okumura · K. Ishihara · R. Matsushima · M. Kaneniwa 1039

Characterization of a new hemolytic protein toxin from the sea anemone *Anthopleura asiatica*

Y. Kohno · H. Satoh · A. Iguchi · H. Nagai 1049

Food Science and Technology

Lipid characteristics of coastal migratory *Sarda orientalis* tissues

K. Osako · H. Saito · W. Weng · K. Kuwahara · M. Tanaka 1055

Influence of re-cooking on volatile and non-volatile compounds found in silver carp *Hypophthalmichthys molitrix*

J.-K. Liu · S.-M. Zhao · S.-B. Xiong · S.-H. Zhang 1067

Forthcoming articles are available at springerlink.com

Indexed in *Current Contents*

Instructions for Authors for *Fish Sci* are available at <http://www.springer.com/12562>.

springer.com

springerlink.com